



Line 17, 1-10 Line 17, 13-16  
GREAT CHEBEAGUE ISLAND  
SCALE 1"=400'  
5 foot Contour Interval based on Mean Sea Level (MSL)  
1000 Foot Grid based on Maine Coordinate System (West  
Zone). Contour and controlled by James V. Swall  
Company, Old Town, Maine, by Photogrammetric Methods  
from Aerial Photography dated 11/23/75.  
This is to certify that this contour and planimetric  
map is based on Photogrammetric Engineering done under  
the supervision of the undersigned, in accordance with  
the specifications dated April 5, 1975, prepared by  
Anderson-Nichols Company, Inc., and that this map is  
correct to within the tolerance specified.





DRAFT

BAY

PRELIMINARY

CASCO

DRAFT


CUMBERLAND SHEET 1

CUMBERLAND 1124, 12N-5, 6, 7, 8

SCALE 1"=400'

5 foot Contour Interval based on Mean Sea Level (NGVD) 1000 foot Grid based on Maine Coordinate System (West Zone). Compiled and controlled by James W. Sewall Company, Old Town, Maine, by Photogrammetric Methods from Aerial Photographs dated 11/23/78.

This is to certify that this contour and planimetric map is based on Photogrammetric Engineering done under the supervision of the undersigned, in accordance with the specifications dated April 5, 1978, prepared by Anderson-Nichols & Company, Inc., and that this map is correct to within the tolerance specified.





DRAFT

PRELIMINARY

PRELIMINARY

DRAFT

DRAFT

CUMBERLAND  
SHEET 2


CUMBERLAND  
12N, 5-G, 7-11 13N, 2-G


SCALE 1"=400'

5 foot Contour Interval based on Mean Sea Level (NGVD)  
1000 foot Grid based on Maine Coordinate System (West  
Zone). Compiled and controlled by James W. Sewall  
Company, Old Town, Maine, by Photogrammetric Methods  
from Aerial Photographs dated 11/23/78.

This is to certify that this contour and planimetric  
map is based on Photogrammetric Engineering done under  
the supervision of the undersigned, in accordance with  
the specifications dated April 5, 1978, prepared by  
Anderson-Nichols & Company, Inc., and that this map is  
correct to within the tolerance specified.







ELEVATION REFERENCE MARKS		
REFERENCE MARK	ELEVATION IN FT. (NGVD) <sup>1</sup>	DESCRIPTION OF LOCATION
RM 1	25.85	Standard reference disk stamped CHEBEAGUE PT. NO. 1 1943, in a large rock flake with the ground 52.0 feet north-west of triangulation station Chebeague Point, 310 feet northwest of a two-story shingle house, east of the road, 60.5 feet northwest of a large sign set in concrete, and approximately 500 feet north of the end of South Road extension on Great Chebeague Island.
<sup>1</sup> National Geodetic Vertical Datum of 1929		

KEY TO MAP

500-Year Flood Boundary

100-Year Flood Boundary

Zone Designations\* With Date of Identification

100-Year Flood Boundary

500-Year Flood Boundary

Base Flood Elevation Line With Elevation in Feet\*\*

Base Flood Elevation in Feet Where Uniform Within Zone\*\*

Elevation Reference Mark

River Mile

ZONE A

ZONE B

ZONE C

ZONE D

ZONE E

ZONE F

ZONE G

ZONE H

ZONE I

ZONE J

ZONE K

ZONE L

ZONE M

ZONE N

ZONE O

ZONE P

ZONE Q

ZONE R

ZONE S

ZONE T

ZONE U

ZONE V

ZONE W

ZONE X

ZONE Y

ZONE Z

513

(EL. 987)

RM 7

\* M 1 B

\*\*Referenced to the National Geodetic Vertical Datum of 1929

\*EXPLANATION OF ZONE DESIGNATIONS

ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
A0	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors determined.
A99	Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.
B	Areas between limits of the 100-year flood and 5-year flood; or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile or areas protected by levees from the base flood. (Medium shading)
C	Areas of minimal flooding. (No shading)
D	Areas of undetermined, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

NOTES TO USER

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.

For adjoining map panels, see separately printed Index To Map Panels.

INITIAL IDENTIFICATION

FLOOD HAZARD BOUNDARY MAP REVISIONS:

FLOOD INSURANCE RATE MAP EFFECTIVE:

FLOOD INSURANCE RATE MAP REVISIONS:

PROOF  
MAY 19, 1981

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actual rates apply to structures in the zones where elevations or depths have been established.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at (800) 638-6620, or (800) 424-8972.

APPROXIMATE SCALE

400 0 400 FEET

NATIONAL FLOOD INSURANCE PROGRAM

FIRM  
FLOOD INSURANCE RATE MAP

TOWN OF  
CUMBERLAND, MAINE  
CUMBERLAND COUNTY


PANEL 3 OF 25  
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER  
230162 0003 B

EFFECTIVE DATE:

U.S. DEPARTMENT OF HOUSING  
AND URBAN DEVELOPMENT  
FEDERAL INSURANCE ADMINISTRATION





**KEY TO MAP**

500-Year Flood Boundary  
100-Year Flood Boundary  
Zone Designation With Date of Identification  
e.g., 12/2/74  
100-Year Flood Boundary  
500-Year Flood Boundary

Base Flood Elevation Line With Elevation in Feet\*\*  
Base Flood Elevation in Feet Where Uniform Within Zone\*\*  
Elevation Reference Mark  
River Mile

EL 987  
RM7.5  
M1.5

\*\*Referenced to the National Geodetic Vertical Datum of 1929

**\*EXPLANATION OF ZONE DESIGNATIONS**

ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
A0	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors determined.
A99	Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.
B	Areas between limits of the 100-year flood and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile; or areas protected by levees from the base flood. (Medium shading)
C	Areas of minimal flooding. (No shading)
D	Areas of undetermined, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

**NOTES TO USER**

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.

For adjoining map panels, see separately printed Index To Map Panels.

**INITIAL IDENTIFICATION:**

FLOOD HAZARD BOUNDARY MAP REVISIONS:

FLOOD INSURANCE RATE MAP EFFECTIVE:

FLOOD INSURANCE RATE MAP REVISIONS:

**PROOF**  
MAY 19, 1981

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actuarial rates apply to structures in the zones where elevations or depths have been established.

To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6620, or (800) 424-8872.

**APPROXIMATE SCALE**  
800 0 800 FEET

**NATIONAL FLOOD INSURANCE PROGRAM**

**FIRM**  
FLOOD INSURANCE RATE MAP

**TOWN OF CUMBERLAND, MAINE**  
CUMBERLAND COUNTY

**PANEL 15 OF 25**  
(SEE MAP INDEX FOR PANELS NOT PRINTED)

**COMMUNITY-PANEL NUMBER**  
230162 0015 B

**EFFECTIVE DATE:**

federal emergency management agency  
federal insurance administration

FOLD

FOLD

ELEVATION REFERENCE MARKS		
REFERENCE MARK	ELEVATION IN FT. (NGVD) <sup>1</sup>	DESCRIPTION OF LOCATION
RM 2	51.27	Chiselled X on fire hydrant nut, west side of State Route 88, approximately 3100 feet north of its intersection with Ledge Road and approximately 1300 feet south of Cumberland/Yarmouth corporate limits.
<sup>1</sup> National Geodetic Vertical Datum of 1929		



**KEY TO MAP**

500-Year Flood Boundary  
100-Year Flood Boundary  
Zone Designations\* With Date of Identification  
e.g., 12/2/74  
100-Year Flood Boundary  
500-Year Flood Boundary

Base Flood Elevation Line With Elevation In Feet\*\*

Base Flood Elevation In Feet Where Uniform Within Zone\*\*

Elevation Reference Mark

River Mile

513  
(EL 987)  
RM7.2  
\*M1.5

\*\*Referenced to the National Geodetic Vertical Datum of 1929

**\*EXPLANATION OF ZONE DESIGNATIONS**

ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
A0	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors determined.
A99	Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.
B	Areas between limits of the 100-year flood and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile; or areas protected by levees from the base flood. (Medium shading)
C	Areas of minimal flooding. (No shading)
D	Areas of undetermined, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

**NOTES TO USER**

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.

For adjoining map panels, see separately printed Index To Map Panels.

**INITIAL IDENTIFICATION:**

**FLOOD HAZARD BOUNDARY MAP REVISIONS:**

**FLOOD INSURANCE RATE MAP EFFECTIVE:**

**FLOOD INSURANCE RATE MAP REVISIONS:**

**PROOF**  
MAY 19, 1981

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actuarial rates apply to structures in the zones where elevations or depths have been established.

To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6620, or (800) 424-6872.



**NATIONAL FLOOD INSURANCE PROGRAM**

**FIRM**  
FLOOD INSURANCE RATE MAP

**TOWN OF CUMBERLAND, MAINE**  
CUMBERLAND COUNTY

**PANEL 16 OF 25**  
(SEE MAP INDEX FOR PANELS NOT PRINTED)

**COMMUNITY-PANEL NUMBER**  
230162 0016 B

**EFFECTIVE DATE:**

federal emergency management agency  
federal insurance administration

FOLD



**KEY TO MAP**  
500-Year Flood Boundary  
100-Year Flood Boundary  
Zone Designations\* With Date of Identification  
e.g., 12/2/74  
100-Year Flood Boundary  
500-Year Flood Boundary  
Base Flood Elevation Line With Elevation In Feet\*\*  
Base Flood Elevation In Feet Where Uniform Within Zone\*\*  
Elevation Reference Mark  
River Mile  
\*\*Referenced to the National Geodetic Vertical Datum of 1929

**EXPLANATION OF ZONE DESIGNATIONS**  
ZONE A: Areas of 100-year flood; base flood elevations and flood hazard factors not determined.  
ZONE A0: Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.  
ZONE AH: Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.  
ZONE A1-A30: Areas of 100-year flood; base flood elevations and flood hazard factors determined.  
ZONE A99: Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.  
ZONE B: Areas between limits of the 100-year flood and 500-year flood, or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile; or areas protected by levees from the base flood. (Medium shading)  
ZONE C: Areas of minimal flooding. (No shading)  
ZONE D: Areas of undetermined, but possible, flood hazards.  
ZONE V: Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.  
ZONE V1-V30: Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

**NOTES TO USER**  
Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.  
This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.  
For adjoining map panels, see separately printed Index To Map Panels.

**INITIAL IDENTIFICATION:**  
FLOOD HAZARD BOUNDARY MAP REVISIONS:  
FLOOD INSURANCE RATE MAP EFFECTIVE:  
FLOOD INSURANCE RATE MAP REVISIONS:

**PROOF**  
MAY 19, 1981

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actuarial rates apply to structures in the zones where elevations or depths have been established.  
To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6620, or (800) 424-8872.

APPROXIMATE SCALE  
400 0 400 FEET

ELEVATION REFERENCE MARKS		
REFERENCE MARK	ELEVATION IN FT. (NGVD) <sup>1</sup>	DESCRIPTION OF LOCATION
RM 9	79.23	Chisled + in west hydrant nut, east side of State Route 88, opposite its intersection with Powell Road, and 500 feet south of Ledge Road intersection.
RM 10	163.41	Chisled X on east hydrant nut, east side of State Route 88, approximately 2000 feet north of intersection with Wildwood Boulevard, and approximately 1300 feet south of intersection with Town Landing Road.
RM 11	109.63	Chisled X on west hydrant nut, east of State Route 88, approximately 550 feet north of intersection with Sturdivant Road.
RM 12	109.49	Chisled X on southeast hydrant nut, west side of State Route 88, approximately 60 feet south of intersection with Dean's Way.

<sup>1</sup> National Geodetic Vertical Datum of 1929

**NATIONAL FLOOD INSURANCE PROGRAM**

**FIRM**  
FLOOD INSURANCE RATE MAP

TOWN OF  
CUMBERLAND, MAINE  
CUMBERLAND COUNTY

PANEL 18 OF 25  
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER  
230162 0018 B  
EFFECTIVE DATE:

federal emergency management agency  
flood insurance administration

ELEVATION REFERENCE MARKS

REFERENCE MARK	ELEVATION IN FT. (NGVD) <sup>1</sup>	DESCRIPTION OF LOCATION
RM 13	9.05	Embedded 5/8 inch square pin 35 feet west of green building, north of old dock on west side of Sturdivant Island.
RM 14	116.81	Colored X on hydrant box, north side of private road approximately 850 feet east of intersection of private road and State Route 88; intersection is approximately 1600 feet north of Edmund-Cornfield corporate limits.

<sup>1</sup>National Geodetic Vertical Datum of 1929

KEY TO MAP	
500-Year Flood Boundary	ZONE B
100-Year Flood Boundary	ZONE A1 DATE
Zone Designations with Date of Identification P.S. 12/2/74	ZONE A2 DATE
100-Year Flood Boundary	ZONE B
500-Year Flood Boundary	ZONE B
Base Flood Elevation Line With Elevation in Feet**	613
Base Flood Elevation in Feet Where Uniform Within Zone**	(EL 987)
Elevation Reference Mark	RM7 X
River Mile	* M1.5

\*\*Referenced to the National Geodetic Vertical Datum of 1929

EXPLANATION OF ZONE DESIGNATIONS	
ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevation and flood hazard factor not determined.
AD	Area of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Area of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevation and flood hazard factor determined.
A99	Area of 100-year flood to be protected by flood protection system under construction; base flood elevation and flood hazard factor not determined.
B	Areas between limits of the 100-year flood and 500-year flood, or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile or area protected by levees from the base flood (medium shading).
C	Areas of minimal flooding. (No shading)
D	Areas of undetermined, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

NOTES TO USER

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planning features outside special flood hazard areas.

For adjoining map panels, see separately printed Index To Map Panels.

INITIAL IDENTIFICATION:

FLOOD HAZARD BOUNDARY MAP REVISIONS:

FLOOD INSURANCE RATE MAP EFFECTIVE:

FLOOD INSURANCE RATE MAP REVISIONS:

PROOF  
MAY 19, 1981

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actuarial rates apply to structures in the zones where elevations or depths have been established.

To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6620, or (800) 424-9872.



NATIONAL FLOOD INSURANCE PROGRAM

FIRM  
FLOOD INSURANCE RATE MAP

TOWN OF  
CUMBERLAND, MAINE  
CUMBERLAND COUNTY

PANEL 19 OF 25  
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER  
230162 0019 B  
EFFECTIVE DATE:



U.S. DEPARTMENT OF HOUSING  
AND URBAN DEVELOPMENT  
FEDERAL INSURANCE ADMINISTRATION



**KEY TO MAP**

500-Year Flood Boundary  
100-Year Flood Boundary  
Zone Designations\* With Date of Identification  
e.g., 12/2/74  
100-Year Flood Boundary  
500-Year Flood Boundary

Base Flood Elevation Line  
With Elevation in Feet\*\*

Base Flood Elevation in Feet  
Where Uniform Within Zone\*\*

Elevation Reference Mark

River Mile

\*\*Referenced to the National Geodetic Vertical Datum of 1929

**EXPLANATION OF ZONE DESIGNATIONS**

ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
A0	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors determined.
A99	Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.
B	Areas between limits of the 100-year flood and 500-year flood; on certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile or areas protected by levees from the base flood. (Medium shading)
C	Areas of minimal flooding. (No shading)
D	Areas of undetermined, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

**NOTES TO USER**

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.

For adjoining map panels, see separately printed Index To Map Panels.

**PROOF**  
MAY 19, 1981

INITIAL IDENTIFICATION


FLOOD HAZARD BOUNDARY MAP REVISIONS:

FLOOD INSURANCE RATE MAP EFFECTIVE:

FLOOD INSURANCE RATE MAP REVISIONS:

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actuarial rates apply to structures in the zones where elevations or depths have been established.

To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6600, or (800) 624-8372.



NATIONAL FLOOD INSURANCE PROGRAM


**FIRM**  
FLOOD INSURANCE RATE MAP

TOWN OF  
CUMBERLAND, MAINE  
CUMBERLAND COUNTY

PANEL 21 OF 25  
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER  
230162 0021 B  
EFFECTIVE DATE:

U.S. DEPARTMENT OF HOUSING  
AND URBAN DEVELOPMENT  
FEDERAL INSURANCE ADMINISTRATION



Base Flood Elevation in Feet (EL. 997)  
Where Uniform Within Zone\*\*  
Elevation Reference Mark RM7 x  
River Mile # M1.5  
\*\*Referenced to the National Geodetic Vertical Datum of 1929


*EXPLANATION OF ZONE DESIGNATIONS	
ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
A0	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors determined.
A99	Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.
B	Areas between limits of the 100-year flood and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile; or areas protected by levees from the base flood. (Medium shading)
C	Areas of minimal flooding. (No shading)
D	Areas of undetermined, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

NOTES TO USER  
Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.  
This map is for flood insurance purposes only. It does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.  
For adjoining map panels, see separately printed Index To Map Panels.

INITIAL IDENTIFICATION:  
FLOOD HAZARD BOUNDARY MAP REVISIONS:  
FLOOD INSURANCE RATE MAP EFFECTIVE:  
FLOOD INSURANCE RATE MAP REVISIONS:

**PROOF**  
MAY 19, 1981

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actuarial rates apply to structures in the zones where elevations or depths have been established.  
To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6620, or (800) 424-8872.



NATIONAL FLOOD INSURANCE PROGRAM


FIRM  
FLOOD INSURANCE RATE MAP

TOWN OF  
CUMBERLAND, MAINE  
CUMBERLAND COUNTY

PANEL 22 OF 25  
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER  
230162 0022 B

EFFECTIVE DATE:



federal emergency management agency  
federal insurance administration



REFERENCE MARK	ELEVATION IN FEET (NGVD)
RM 15	31.76
RM 16	121.39
RM 17	40.85
RM 18	70.41
RM 19	11.210
RM 20	15.92

1 National Geodetic Vertical Datum of 1929

#### ELEVATION REFERENCE MARKS

DESCRIPTION OF LOCATION
Spoke in Pole 50 near south intersection of John Small Road and Walden Point Road on Great Chebeague Island.
Two 20D nails in Pole 52/53 approximately 250 feet west of grade school on north side of Schoolhouse Road near intersection with North Road on Great Chebeague Island.
60D spike in Pole 417/126/413 95 feet south intersection of South Road and John Small Road on Great Chebeague Island.
Two 20D nails in Pole 110 near intersection of North Road and access road to Indian Point, approximately 2000 feet down of intersection of North Road and Schoolhouse Road on Great Chebeague Island.
Monet river on road surface road 3.5 miles south of post office at Chebeague, at Chandler Cove Landing, 100 feet southeast of the loading platform, 36 feet north of a barn, 106 feet southwest of the entrance of the pier leading to a loading dock, and in a ledge of bedrock extending out under the pier on Great Chebeague Island.
3D nail in base of single 6 inch hardwood tree at edge of small clearing on east side of Little Chebeague Island near corporate limits.

KEY TO MAP

500-Year Flood Boundary

100-Year Flood Boundary

Zone Designations\* With Date of Identification

100-Year Flood Boundary

500-Year Flood Boundary

Base Flood Elevation Line With Elevation in Feet\*\*

Elevation Reference Mark

River Mile

ZONE B

ZONE A1 DATE

ZONE A5 DATE

ZONE B

513

(EL. 9)

RM7 X

M1.5

\*\*Referenced to the National Geodetic Vertical Datum of 1929

\*EXPLANATION OF ZONE DESIGNATIONS

ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
A0	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors determined.
A99	Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.
B	Areas between limits of the 100-year flood and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile or areas protected by levees from the base flood. (Medium shading)
C	Areas of minimal flooding. (No shading)
D	Areas of underment, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

NOTES TO USER

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.

For adjoining map panels, see separately printed Index To Map Panels.

INITIAL IDENTIFICATION

FLOOD HAZARD BOUNDARY MAP REVISIONS


FLOOD INSURANCE RATE MAP EFFECTIVE

FLOOD INSURANCE RATE MAP REVISIONS

PROOF  
MAY 19, 1981

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actuarial rates apply to structures in the zones where elevations or depths have been established.

To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6620, or (800) 424-8872.



NATIONAL FLOOD INSURANCE PROGRAM

FIRM  
FLOOD INSURANCE RATE MAP


TOWN OF  
CUMBERLAND, MAINE  
CUMBERLAND COUNTY

PANEL 23 OF 25  
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER  
230162 0023 B  
EFFECTIVE DATE:



U.S. DEPARTMENT OF HOUSING  
AND URBAN DEVELOPMENT  
FEDERAL INSURANCE ADMINISTRATION



**KEY TO MAP**

500-Year Flood Boundary  
100-Year Flood Boundary  
Zone Designations\* With Date of Identification  
f.d. 12/2/74  
100-Year Flood Boundary  
500-Year Flood Boundary

Base Flood Elevation Line  
With Elevation in Feet\*\*

Base Flood Elevation in Feet  
Where Uniform Within Zone\*\*

Elevation Reference Mark

River Mile

\*Referenced to the National Geodetic Vertical Datum of 1929

**\*EXPLANATION OF ZONE DESIGNATIONS**

ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
A0	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors determined.
A99	Areas of 100-year flood to be protected by flood protection system under construction; base flood elevation and flood hazard factors not determined.
B	Areas between limits of the 100-year flood and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile; or areas protected by levees from the base flood. (Medium shading)
C	Areas of minimal flooding. (No shading)
D	Areas of undetermined, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

**NOTES TO USER**

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.


For adjoining map panels, see separately printed Index To Map Panels.

INITIAL IDENTIFICATION  
FLOOD HAZARD BOUNDARY MAP REVISIONS  
FLOOD INSURANCE RATE MAP EFFECTIVE  
FLOOD INSURANCE RATE MAP REVISIONS

**PROOF**  
MAY 19, 1981

Refer to the FLOOD INSURANCE RATE MAP EFFECTIVE date shown on this map to determine when actuarial rates apply to structures in the zones where elevations or depths have been established.

To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6620, or (800) 424-8872.



**ELEVATION REFERENCE MARKS**

REFERENCE MARK	ELEVATION IN FEET (NGVD)	DESCRIPTION OF LOCATION
RM 21	9.24	Chiselled square on ledge at approximate highwater mark and approximately 200 feet north of permanent dock on western shore, midway on Hope Island.

\*National Geodetic Vertical Datum of 1929

**NATIONAL FLOOD INSURANCE PROGRAM**

**FIRM**  
FLOOD INSURANCE RATE MAP

**TOWN OF CUMBERLAND, MAINE**  
CUMBERLAND COUNTY

PANEL 24 OF 25  
(SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER  
230162 0024 B

EFFECTIVE DATE:

federal emergency management agency  
federal insurance administration