

5-30-2000

Piscataquis River Bridge, Howland : Bridge Inspection Report, May 30, 2000 [PAGE 1]

Maine Department of Transportation

Follow this and additional works at: https://digitalmaine.com/mdot_docs

Recommended Citation

Maine Department of Transportation, "Piscataquis River Bridge, Howland : Bridge Inspection Report, May 30, 2000 [PAGE 1]" (2000). *Transportation Documents*. 1889.
https://digitalmaine.com/mdot_docs/1889

This Text is brought to you for free and open access by the Transportation at Digital Maine. It has been accepted for inclusion in Transportation Documents by an authorized administrator of Digital Maine. For more information, please contact statedocs@maine.gov.

BRIDGE NUMBER: 3040 SEGMENT TYPE: 1 PURIFY STATUS: 4 DATE: 5-30-2000 DEB NSP:
 TOWN: HOWLAND
 NAME: PISCATAQUIS #GIRDERS: 02 DATE: 02051999 INSP: JVW
 LOC: 1 MI NE RTE 6 #FLOOR BEAMS: 31 RUNS OF RAIL: 2
 STR-LGTH: 0528 SEG-LGTH: 0528 #STRINGER: 06 BURIED FILL HEIGHT: 00
 SEG: WALL LENGTH: 0090 SALTWATER ENV (Y/N): N

***** ATTENTION INSPECTOR - REVIEW OF DIVE REPORT REQUIRED *****

POSITION NUMBER	ELEMENT NUMBER	ELEMENT DESCRIPTION	QUANTITY	ELEMENT UNIT	ENV	COND ST 1	COND ST 2	COND ST 3	COND ST 4	PER CENT?	CRIT ST	** COMMENTS **
01	0120	STL-BOT CHRDR OR THRU GRD	1056	LF	M	90	8	2	0	Y	0	
						01	85	10	5	0		
02	9920	PAINT (INCL. EPOXY)	5280	SF	M	0	85	0	15	Y	0	
						02	0	70	10	20		
03	0122	STEEL-THRU TRUSS, EXCL BC	1056	LF	M	85	0	13	2	Y	0	
						03						
04	9920	PAINT (INCL. EPOXY)	21120	SF	M	0	80	10	10	Y	0	
						04	0	70	15	15		
05	0140	STEEL-FLR BMS OR TRSV STRG	651	LF	M	95	5	0	0	Y	0	
						05	90	10	0	0		
06	9920	PAINT (INCL. EPOXY)	6510	SF	M	0	90	5	5	Y	0	
						06	0	85	10	5		
07	0150	STEEL - OPEN STRINGERS	3168	LF	M	85	10	5	0	Y	0	
						07						
08	9920	PAINT (INCL. EPOXY)	31680	SF	M	0	60	30	10	Y	0	
						08						
09	0200	CONCRETE DECK	11088	SF	S	80	10	5	5	Y	0	
						09	70	10	20	10		
10	8803	RIGID W.S. (> 1 IN.) CONC	10560	SF	M	40	25	25	10	Y	0	
						10	40	25	20	15		
11	3320	CONC-PIER WALL IN WET COND	42	LF	M	0	75	20	5	Y	0	
						11						
12	4400	CONC ABUT IN WET COND	42	LF	M	60	20	10	10	Y	0	
						12						
13	4423	UNDEF WALL ELEMENT (WET)	90	LF	M	75	0	0	25	Y	0	
						13	70	30	0	0		
14	7710	ALL BEARINGS, MOV OR FIXED	12	EA	M	6	6	0	0	N	0	
						14						
15	9920	PAINT (INCL. EPOXY)	120	SF	M	0	60	20	20	Y	0	
						15	0	50	25	25		
16	0500	METAL-BRIDGE RAILING	1056	LF	S	60	20	10	10	Y	0	
						16	50	20	15	15		3
17	9920	PAINT (INCL. EPOXY)	3168	SF	M	0	60	25	15	Y	0	
						17	0	50	25	25		
18	6602	COMPRESSION JOINT SEAL	42	LF	M	90	5	5	0	Y	0	
						18	80	10	10	0		