

2-21-2008

Structures in the Municipality of Canton, 2008

Maine Department of Transportation

Follow this and additional works at: https://digitalmaine.com/mdot_docs

Recommended Citation

Maine Department of Transportation, "Structures in the Municipality of Canton, 2008" (2008).
Transportation Documents. 2539.
https://digitalmaine.com/mdot_docs/2539

This Text is brought to you for free and open access by the Transportation at Digital Maine. It has been accepted for inclusion in Transportation Documents by an authorized administrator of Digital Maine. For more information, please contact statedocs@maine.gov.

Structures in the Municipality of Canton

CONDITION RATINGS

TOWN1: <input type="text" value="Canton"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="6244"/>	BRIDGE REGION: <input type="text" value="Western"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="AT JCT WITH ROUTE 108"/>	YEAR BUILT: <input type="text" value="1970"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="BRAGGS"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="RTE 140"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="24"/>	DATE OF INSPECTION: <input type="text" value="4/29/2011"/>
FEATURE UNDER: <input type="text" value="WHITNEY*BRK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="99.2"/>
ROAD INV NO: <input type="text" value="000000140X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00140"/>		
ROAD WIDTH: <input type="text" value="46"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Canton

CONDITION RATINGS

TOWN1: <input type="text" value="Canton"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="5242"/>	BRIDGE REGION: <input type="text" value="Western"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="1 MI N SA1"/>	YEAR BUILT: <input type="text" value="1969"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: <input type="text" value="CHILDS BROOK #4"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="#108"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="11"/>	DATE OF INSPECTION: <input type="text" value="5/23/2011"/>
FEATURE UNDER: <input type="text" value="CHILD BRK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="62.6"/>
ROAD INV NO: <input type="text" value="000000108X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00108"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE HIGHWAY"/>		

Structures in the Municipality of Canton

CONDITION RATINGS

TOWN1: <input type="text" value="Canton"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRIDGE NO.: <input type="text" value="3939"/>	BRIDGE REGION: <input type="text" value="Western"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
LOCATION: <input type="text" value="0.6 MI W OF T.L."/>	YEAR BUILT: <input type="text" value="1956"/>	DECK CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
BRDGNAME: HOWE	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="4 Culvert"/>	CULVERT CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
FEATURE ON: <input type="text" value="DIXFIELD RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="14"/>	DATE OF INSPECTION: <input type="text" value="5/23/2011"/>
FEATURE UNDER: <input type="text" value="LUDDEN BRK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="99.2"/>
ROAD INV NO: <input type="text" value="0001700396"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		

Structures in the Municipality of Canton

CONDITION RATINGS

TOWN1: <input type="text" value="Canton"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="3356"/>	BRIDGE REGION: <input type="text" value="Western"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="1.3 MI N'LY JCT RTE 108"/>	YEAR BUILT: <input type="text" value="1939"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="SCHOOLHOUSE"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
FEATURE ON: <input type="text" value="RTE 140 SA 3"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="28"/>	DATE OF INSPECTION: <input type="text" value="7/25/2012"/>
FEATURE UNDER: <input type="text" value="WHITNEY BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="73.5"/>
ROAD INV NO: <input type="text" value="000000140X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00140"/>		
ROAD WIDTH: <input type="text" value="27"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Canton

CONDITION RATINGS

TOWN1: <input type="text" value="Canton"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="2799"/>	BRIDGE REGION: <input type="text" value="Western"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="AT JCT WITH ROUTE 140"/>	YEAR BUILT: <input type="text" value="1970"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="STATE ROAD"/>	SPAN MATERIAL: <input type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="3 Slab"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
FEATURE ON: <input type="text" value="#108"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="23"/>	DATE OF INSPECTION: <input type="text" value="4/29/2011"/>
FEATURE UNDER: <input type="text" value="WHITNEY BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="94.3"/>
ROAD INV NO: <input type="text" value="000000108X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00108"/>		
ROAD WIDTH: <input type="text" value="48"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Canton

CONDITION RATINGS

TOWN1: <input type="text" value="Canton"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRIDGE NO.: <input type="text" value="2312"/>	BRIDGE REGION: <input type="text" value="Western"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
LOCATION: <input type="text" value="1.6 MIN'LY JCT 108"/>	YEAR BUILT: <input type="text" value="2005"/>	DECK CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
BRDGNAME: <input type="text" value="GILBERTVILLE"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="8"/> <input type="text" value="Very Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="3"/>	APPROACH CONDITION: <input type="text" value="9"/> <input type="text" value="Excellent"/>
FEATURE ON: <input type="text" value="RTE 140(SA 3)"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="501"/>	DATE OF INSPECTION: <input type="text" value="9/25/2012"/>
FEATURE UNDER: <input type="text" value="ANDROSCOGGIN RIVER"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="85.5"/>
ROAD INV NO: <input type="text" value="000000140X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00140"/>		
ROAD WIDTH: <input type="text" value="28"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Canton

CONDITION RATINGS

TOWN1: <input type="text" value="Canton"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
BRIDGE NO.: <input type="text" value="0753"/>	BRIDGE REGION: <input type="text" value="Western"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
LOCATION: <input type="text" value="100 FT E RT 108"/>	YEAR BUILT: <input type="text" value="1940"/>	DECK CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRDGNAME: <input type="text" value="CROSS STREET"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
FEATURE ON: <input type="text" value="CROSS STREET"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="22"/>	DATE OF INSPECTION: <input type="text" value="10/28/2011"/>
FEATURE UNDER: <input type="text" value="WHITNEY BROOK"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="37"/>
ROAD INV NO: <input type="text" value="0001701043"/>	POSTING TYPE: <input type="text" value="1 Weight Limit"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="18"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Canton

CONDITION RATINGS

TOWN1: <input type="text" value="Canton"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="0660"/>	BRIDGE REGION: <input type="text" value="Western"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="2.5 MI E RT 140"/>	YEAR BUILT: <input type="text" value="1945"/>	DECK CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
BRDGNAME: FULLER BROOK	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="LOPLANT/MEADOWVIE"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="20"/>	DATE OF INSPECTION: <input type="text" value="10/28/2011"/>
FEATURE UNDER: <input type="text" value="FULLER BROOK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="53.4"/>
ROAD INV NO: <input type="text" value="0001700405"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="11"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON TOWN WAY"/>		

Structures in the Municipality of Canton

CONDITION RATINGS

TOWN1: <input type="text" value="Canton"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
BRIDGE NO.: <input type="text" value="0645"/>	BRIDGE REGION: <input type="text" value="Western"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
LOCATION: <input type="text" value="1.3 MI E TOWNLIN E"/>	YEAR BUILT: <input type="text" value="1940"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGRNAME: <input type="text" value="BOG BROOK"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="ROUTE140"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="14"/>	DATE OF INSPECTION: <input type="text" value="4/26/2011"/>
FEATURE UNDER: <input type="text" value="BOG BRK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="68.7"/>
ROAD INV NO: <input type="text" value="000000140X"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00140"/>		
ROAD WIDTH: <input type="text" value="25"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="N"/>	
CLASS: <input type="text" value="MINOR SPAN ON STATE AID ROAD"/>		