

2-21-2008

Structures in the Municipality of Steuben, 2008

Maine Department of Transportation

Follow this and additional works at: https://digitalmaine.com/mdot_docs

Recommended Citation

Maine Department of Transportation, "Structures in the Municipality of Steuben, 2008" (2008).
Transportation Documents. 2903.
https://digitalmaine.com/mdot_docs/2903

This Text is brought to you for free and open access by the Transportation at Digital Maine. It has been accepted for inclusion in Transportation Documents by an authorized administrator of Digital Maine. For more information, please contact statedocs@maine.gov.

Structures in the Municipality of Steuben

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Steuben"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
BRIDGE NO.: <input style="width: 60px;" type="text" value="5956"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
LOCATION: <input style="width: 130px;" type="text" value="1.5 MI E TOWNLIN"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1962"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 80px;" type="text" value="Satisfactory"/>
BRDGNAME: <input style="width: 100px;" type="text" value="T STREAM"/>	SPAN MATERIAL: <input style="width: 100px;" type="text" value="1 Steel"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
OWNER: <input style="width: 90px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 80px;" type="text" value="Fair"/>
FEATURE ON: <input style="width: 110px;" type="text" value="ROUTE US 1"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="90"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="5/16/2012"/>
FEATURE UNDER: <input style="width: 110px;" type="text" value="T STREAM"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 60px;" type="text" value="85.5"/>
ROAD INV NO.: <input style="width: 60px;" type="text" value="00000001X"/>	POSTING TYPE: <input style="width: 90px;" type="text" value="0 None needed"/>	
ROUTE NO.: <input style="width: 60px;" type="text" value="00001"/>		
ROAD WIDTH: <input style="width: 60px;" type="text" value="33"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Steuben

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Steuben"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="5955"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
LOCATION: <input style="width: 130px;" type="text" value="50 FT E OF T7 SD T L"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1962"/>	DECK CONDITION: <input style="width: 20px;" type="text" value="N"/> <input style="width: 80px;" type="text" value="Not Applicable"/>
BRDGNAME: <input style="width: 100px;" type="text" value="WHITTEN"/>	SPAN MATERIAL: <input style="width: 100px;" type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input style="width: 20px;" type="text" value="6"/> <input style="width: 80px;" type="text" value="Satisfactory"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="4 Culvert"/>	CULVERT CONDITION: <input style="width: 20px;" type="text" value="7"/> <input style="width: 80px;" type="text" value="Good"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 80px;" type="text" value="Fair"/>
FEATURE ON: <input style="width: 100px;" type="text" value="ROUTE US 1"/>	STRUCTURE LENGTH IN FEET: <input style="width: 40px;" type="text" value="21"/>	DATE OF INSPECTION: <input style="width: 80px;" type="text" value="12/18/2012"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="WHITTEN BROOK"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 40px;" type="text" value="87"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="000000001X"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 50px;" type="text" value="00001"/>		
ROAD WIDTH: <input style="width: 40px;" type="text" value="0"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON STATE HIGHWAY"/>		

Structures in the Municipality of Steuben

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Steuben"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="5447"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 100px;" type="text" value="Good"/>
LOCATION: <input style="width: 130px;" type="text" value="5.8 MI N JCT US 1"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1952"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 100px;" type="text" value="Good"/>
BRDGNAME: <input style="width: 100px;" type="text" value="UNIONVILLE"/>	SPAN MATERIAL: <input style="width: 100px;" type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="4"/> <input style="width: 100px;" type="text" value="Poor"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="3 Slab"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 100px;" type="text" value="Fair"/>
FEATURE ON: <input style="width: 100px;" type="text" value="UNIONVILLE RD"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="29"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="12/20/2011"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="T STREAM"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="80.7"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0002900644"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 50px;" type="text" value="24"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Steuben

CONDITION RATINGS

TOWN1: <input type="text" value="Steuben"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="3067"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
LOCATION: <input type="text" value="2 MI S JCT US 1"/>	YEAR BUILT: <input type="text" value="1949"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="DYER BAY"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="7"/> <input type="text" value="Good"/>
OWNER: <input type="text" value="1 State DOT"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="DYER BAY RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="51"/>	DATE OF INSPECTION: <input type="text" value="12/20/2011"/>
FEATURE UNDER: <input type="text" value="DYER CREEK"/>	POSTING STATUS: <input type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="60.7"/>
ROAD INV NO: <input type="text" value="0002900645"/>	POSTING TYPE: <input type="text" value="0 None needed"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="22"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Steuben

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Steuben"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>
BRIDGE NO.: <input style="width: 50px;" type="text" value="2944"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 20px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/>
LOCATION: <input style="width: 130px;" type="text" value="0.3 MI SE'LY JCT US1"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1927"/>	DECK CONDITION: <input style="width: 20px;" type="text" value="6"/> <input style="width: 60px;" type="text" value="Satisfactory"/>
BRDGNAME: WHITTEN STREAM	SPAN MATERIAL: <input style="width: 100px;" type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input style="width: 20px;" type="text" value="8"/> <input style="width: 60px;" type="text" value="Very Good"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 20px;" type="text" value="N"/> <input style="width: 60px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 40px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 20px;" type="text" value="5"/> <input style="width: 60px;" type="text" value="Fair"/>
FEATURE ON: <input style="width: 100px;" type="text" value="VILLAGE ROAD"/>	STRUCTURE LENGTH IN FEET: <input style="width: 40px;" type="text" value="31"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="12/18/2012"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="WHITTEN STREAM"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 40px;" type="text" value="72"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0000901457"/>	POSTING TYPE: <input style="width: 90px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 40px;" type="text" value="20"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Steuben

CONDITION RATINGS

TOWN1: <input style="width: 150px;" type="text" value="Steuben"/>	TOWN2: <input style="width: 100px;" type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
BRIDGE NO.: <input style="width: 60px;" type="text" value="2900"/>	BRIDGE REGION: <input style="width: 80px;" type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 100px;" type="text" value="Good"/>
LOCATION: <input style="width: 130px;" type="text" value="0.3 MI SW OF US 1, E jct"/>	YEAR BUILT: <input style="width: 50px;" type="text" value="1927"/>	DECK CONDITION: <input style="width: 30px;" type="text" value="6"/> <input style="width: 100px;" type="text" value="Satisfactory"/>
BRDGNAME: <input style="width: 100px;" type="text" value="VILLAGE"/>	SPAN MATERIAL: <input style="width: 100px;" type="text" value="2 Concrete"/>	CHANNEL CONDITION: <input style="width: 30px;" type="text" value="5"/> <input style="width: 100px;" type="text" value="Fair"/>
OWNER: <input style="width: 80px;" type="text" value="1 State DOT"/>	SPAN TYPE: <input style="width: 100px;" type="text" value="1 Girder"/>	CULVERT CONDITION: <input style="width: 30px;" type="text" value="N"/> <input style="width: 100px;" type="text" value="Not Applicable"/>
MAINTAINER: <input style="width: 100px;" type="text" value="1 State DOT"/>	NUMBER OF MAIN SPANS: <input style="width: 50px;" type="text" value="1"/>	APPROACH CONDITION: <input style="width: 30px;" type="text" value="7"/> <input style="width: 100px;" type="text" value="Good"/>
FEATURE ON: <input style="width: 100px;" type="text" value="Village Road"/>	STRUCTURE LENGTH IN FEET: <input style="width: 50px;" type="text" value="38"/>	DATE OF INSPECTION: <input style="width: 100px;" type="text" value="12/18/2012"/>
FEATURE UNDER: <input style="width: 100px;" type="text" value="T STREAM"/>	POSTING STATUS: <input style="width: 80px;" type="text" value="1 Open"/>	FEDERAL SUFFICIENCY RATING: <input style="width: 50px;" type="text" value="87"/>
ROAD INV NO: <input style="width: 60px;" type="text" value="0002901570"/>	POSTING TYPE: <input style="width: 100px;" type="text" value="0 None needed"/>	
ROUTE NO: <input style="width: 60px;" type="text" value="00000"/>		
ROAD WIDTH: <input style="width: 60px;" type="text" value="25"/> FEET	FEDERAL BRIDGE INDICATOR: <input style="width: 30px;" type="text" value="Y"/>	
CLASS: <input style="width: 100px;" type="text" value="BRIDGE ON TOWN WAY OR STATE AID ROAD"/>		

Structures in the Municipality of Steuben

CONDITION RATINGS

TOWN1: <input type="text" value="Steuben"/>	TOWN2: <input type="text" value="No town 2"/>	SUBSTRUCTURE CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRIDGE NO.: <input type="text" value="1175"/>	BRIDGE REGION: <input type="text" value="Eastern"/>	SUPERSTRUCTURE CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
LOCATION: <input type="text" value=".2MI E SMITHVILLE RD"/>	YEAR BUILT: <input type="text" value="1940"/>	DECK CONDITION: <input type="text" value="6"/> <input type="text" value="Satisfactory"/>
BRDGNAME: <input type="text" value="SMITH MILL"/>	SPAN MATERIAL: <input type="text" value="1 Steel"/>	CHANNEL CONDITION: <input type="text" value="5"/> <input type="text" value="Fair"/>
OWNER: <input type="text" value="4 Municipal"/>	SPAN TYPE: <input type="text" value="1 Girder"/>	CULVERT CONDITION: <input type="text" value="N"/> <input type="text" value="Not Applicable"/>
MAINTAINER: <input type="text" value="4 Municipal"/>	NUMBER OF MAIN SPANS: <input type="text" value="1"/>	APPROACH CONDITION: <input type="text" value="4"/> <input type="text" value="Poor"/>
FEATURE ON: <input type="text" value="EAST SIDE RD"/>	STRUCTURE LENGTH IN FEET: <input type="text" value="50"/>	DATE OF INSPECTION: <input type="text" value="10/15/2012"/>
FEATURE UNDER: <input type="text" value="T STREAM"/>	POSTING STATUS: <input type="text" value="3 Posted"/>	FEDERAL SUFFICIENCY RATING: <input type="text" value="57.4"/>
ROAD INV NO: <input type="text" value="0002900651"/>	POSTING TYPE: <input type="text" value="1 Weight Limit"/>	
ROUTE NO: <input type="text" value="00000"/>		
ROAD WIDTH: <input type="text" value="14"/> FEET	FEDERAL BRIDGE INDICATOR: <input type="text" value="Y"/>	
CLASS: <input type="text" value="LOW USE/REDUNDANT BRIDGE"/>		