

1. SITE PLAN & INDEX
2. SITE DETAILS & SEWAGE DISPOSAL SYS.
3. FOUNDATION PLAN.
4. FOUNDATION SECTIONS.
5. ROOF FRAMING PLAN & CL. RM. 2<sup>ND</sup> FL. FRAME
6. 2<sup>ND</sup> FL. FRAME & CL. RM. ROOF FRAME.
7. FIRST FLOOR PLAN.
8. SECOND FLOOR PLAN.
9. ELEVATIONS.
10. RM. FINISH SCH. - DR. SCH. & DETAILS.
11. "X" SECTION (CL. RM. WING)
12. "X" SECTION (A.P. ROOM.)
13. WALL SECTION (CL. RM. WING)
14. WALL SECTION.
15. WALL SECTION (A.P. RM. & KITCHEN)
16. WALL SEC. & INT. ELEV. (A.P. RM.)
17. METAL CABINETS & MILLWORK.
18. PLUMBING
19. PLUMBING
20. PLUMBING
21. HEATING
22. HEATING
23. ELECTRIC.
24. ELECTRIC.

NEW ELECTRIC SERVICE — E — E —  
NEW SEWER LINE — S — S —  
NEW TELEPHONE SERVICE — T — T —  
TEST BORING (X) B-00  
NEW UNDER DRAIN  
NEW PAVING  
LIMITS OF WORK  
LINE OF DRAINAGE  
EXISTING CONTOURS  
FINISH CONTOURS  
EXISTING WIRE FENCE  
ENTRANCES  
SPOT GRADES  
LIMIT OF WORK  
FINISH — S — EXISTING

1. ALL WORK WITHIN THE LIMITS OF WORK SHALL BE DONE BY OTHER MATERIALS, SHALL EXCEED 6 MIN. LONG OR 12 IN. FERTILIZER AND SEED.

2. ALL SURFACES DAMAGED DURING CONSTRUCTION SHALL BE REPAIRED TO THE SATISFACTION OF THE ENGINEER.

3. ALL CONTRACTORS MUST WITHIN THE SITE TO ACQUIRE THEM WITH EXISTING CONDITIONS BEFORE BEGINNING.

4. ALL EXISTING UTILITIES INTERFERING WITH THE WORK MUST BE REMOVED BY THE CONTRACTOR.

5. ALL FINISH SURFACES MUST BE SLOPED TO DRAIN BY GRAVITY AND UNDECKED ON THE SITE DRAIN.

6. ANY EXCESS EXCAVATED MATERIAL WILL BE DEPOSITED ON THE SITE AS DIRECTED BY THE ENGINEER.

7. ANY DISCREPANCY IN ALL MEASUREMENTS SHALL BE REPORTED TO THE ENGINEER IMMEDIATELY BEFORE BEGINNING WORK. NO DISCREPANCY IS PERMITTED.

BETTINGS (MADE JUNE 1966)			PERCOLATION TESTS (MADE JUNE 1966)		
B-1	0-2" SANDY LOAM 2-8" FINE SAND.	B-9	0-1" SANDY LOAM 1-2" SANDY CLAY 2-7" MED. CLAY 7-8" SAND	B-18	0-1" LOAM 1-6" SAND 6-8" SAND
B-2	0-1" LOAM 1-3" SAND.	B-10	0-1" LOAM 1-2" SAND 2-8" SANDY SAND.	B-19	0-1" LOAM 1-5" SAND 5-8" SAND
B-3	0-1 1/2" LOAM 1-2" SANDY CLAY 2-8" SAND	B-11	0-1" LOAM 1-8" SAND	B-20	0-1 1/2" LOAM 1-6" SANDY CLAY 6-8" SAND
B-4	0-1" LOAM 1-5" SANDY CLAY 5-8" SAND.	B-12	0-3" LOAM 3-8" SAND.	B-21	0-1 1/2" LOAM 1-6" SANDY CLAY 6-8" SAND
B-5	0-1" LOAM 1-5" SANDY CLAY 5-8" SAND.	B-13	0-2" SANDY LOAM 2-8" SAND	B-22	0-1" LOAM 1-6" SANDY CLAY 6-8" FINE SAND.
B-6	0-1 1/4" LOAM 1-4-5" SANDY CLAY 5-8" SAND	B-14	0-1" LOAM 1-5" SANDY CLAY 5-9" SAND.	B-23	0-1" LOAM 1-6" SANDY CLAY 6-8" FINE SAND.
B-7	0-12" LOAM 1-8" SANDY CLAY 5-8" SAND	B-15	0-2" SANDY LOAM 2-8" SANDY CLAY 8-9" SAND	B-24	0-1" LOAM 1-6" SANDY CLAY 6-8" FINE SAND.
B-8	0-1 1/2" SANDY LOAM 1-4" SANDY CLAY 4-8" SAND	B-16	0-1 1/4" LOAM 1-5" SANDY CLAY 5-9" SAND	B-25	0-1" LOAM 1-6" SANDY CLAY 6-8" SAND
		B-17	0-1" LOAM 1-6" SANDY SAND 6-8" SAND	B-26	0-1" LOAM 1-7" SANDY CLAY 7-8" SAND
				PERCOLATION TESTS	
				NO.	RATE (%/MIN.)
					REMARKS.
				P-1	1 1/2" / MIN.
				P-2	3/4" / MIN.
				P-3	1" / MIN.
				P-4	3/4" / MIN.
				P-5	1/2" / MIN.
				P-6	1/2" / MIN.
				P-7	1/2" / MIN.
				P-8	1/2" / MIN.

SITE PLAN & INDEX

ELEMENTARY SCHOOL  
SAD NO. 51 IN  
CUMBERLAND CENTER, ME.